



TOP VIEW

Operation Mode

TGO Technologies, Inc

ChlorTanker
SECONDARY CONTAINMENT SYSTEM

NOTES:

1. DESIGN:

- DESIGN PRESSURE = 385 PSIG @ 300° F.
- MINIMUM DESIGN METAL TEMP. = -20° F @ 385 PSIG
- CORROSION ALLOWANCE = 1/16"
- TEST PRESSURE = 500 PSI
- SERVICE: CHLORINE CONTAINMENT VESSEL

2. CONTAINMENT VESSEL SHALL BE FABRICATED AND CODE STAMPED IN ACCORDANCE WITH ASME CODE SECTION VIII, DIV. 1.

PATENT NO. 6,742,550